

HLBS TECH (P) LIMITED

An ISO 9001, ISO 14001, ISO 27001 Certified Company www.hlbstech.com

DESKTOP COMPUTERS DATA SHEET



Make: HLBS Model: CM44

Technical Specifications		
Processor Make	Intel	
Processor Generation	12	
Number of Cores per Processor	6	
Processor Base Frequency (GHz)	3	
Processor Description	Intel Core i5	
Processor Number	Intel Core i5 12500	
Out of Band Management	NA	
Cache (MB)	18	
Chipset Series	Intel Q Series	
Chipset Number	Intel Q670	
Expansion Slots (PCIe x 1) (Number)	1	
Expansion Slots (PCIe x 4) (Number)	0	
Expansion Slots (PCIe x 16) (Number)	1	
Expansion Slots (PCI) (Number)	0	
Expansion Slots (M Dot 2)	1	
Graphics Type	Dedicated/Discrete	
Graphic Card Description	4 GB	
Size of Memory in Case of Dedicated Graphic Card (GB)	4	
Size of VRAM in case of Integrated Graphics (MB)	0	
Operating System (Factory Pre-Loaded)	Windows 11 Professional	
Recovery Image Media	CD from the OEM	
OS Certification	Windows	
Type of RAM	DDR4	

Factory: 24/2D, Sector J.K. Road, Industrial Area, Govindpura, Bhopal Tel.: +91 755 4082900, 4283574
Fax: +91 755 4082906, Mob.: +91 9826527444, 8889955229, E-mail: sales@hlbstech.com, hlbs@hlbstech.com
Toll Free: 1800 270 1244

Registered Office: 243-B, Zone 1, M.P. Nagar, Bhopal (MP) 462011 INDIA, M: +91 98265 27444

Hinum[®]

BANGALORE | DELHI | MUMBAI | HYDERABAD | BHOPAL | TAIWAN



HLBS TECH (P) LIMITED

An ISO 9001, ISO 14001, ISO 27001 Certified Company www.hlbstech.com

RAM Size (GB)	16
RAM Speed (MHz)	2666
Total Numbers of DIMM Slots Available	2
Number of DIMM Slots populated	1
RAM Expandability up to(using spare DIMM Slots in	6.4
GB)	64
Total Number of Internal Bays available	1
Number of 2 point 5 inches internal Bays	1
Number of 3 point 5 inches Internal Bays	0
Number of 2 point 5 Inches Internal Bays Populated	1
Number of 3 point 5 Inches Internal Bays Populated	0
Type of Drives used to populate the Internal Bays	SSD
Number of Internal Bays populated with HDD	0
Capacity of each HDD (GB)	NA
Total HDD Capacity (GB)	0
Number of Internal Bays populated with SSD	1
Capacity of each SSD (GB)	512
Total SSD Capacity (GB)	512
Number of Internal Bays populated with SSHD	0
Capacity of each SSHD (GB)	NA
Total SSHD Capacity in addition to 8 GB Flash (GB)	0
Number of Internal Bays populated with SSED	0
Capacity of each SSED (GB)	0
Total SSED Capacity (GB)	0
Optane Memory (GB)	0
Cabinet Form Factor	Tower (13.1 to 26 Litres)
Cabinet Volume (Litres)	13.1
External Bays (Number)	1
Optical Drive	N/A
Internal Speaker	No
Audio-in	Yes
Audio-out	Yes
Headphone out	Yes
Microphone-in	Yes
Wireless Connectivity	No
If Yes, Type of Wireless Connectivity	NA
Number of Ethernet Ports	1
Type of Ethernet Ports	10/100/1000 on board Integrated Gigabit Port
Bluetooth Connectivity	No
If Yes, Version of Bluetooth Available	0
Number of USB Version 2 Point 0 Ports	4
Number of USB Version 3 point 0 / 3 point 1, Gen 1 Ports	4
Number of USB Version 3 point 1, Gen 2 Ports	0

Factory: 24/2D, Sector J.K. Road, Industrial Area, Govindpura, Bhopal Tel.: +91 755 4082900, 4283574
Fax: +91 755 4082906, Mob.: +91 9826527444, 8889955229, E-mail: sales@hlbstech.com, hlbs@hlbstech.com
Toll Free: 1800 270 1244

Registered Office: 243-B, Zone 1, M.P. Nagar, Bhopal (MP) 462011 INDIA, M: +91 98265 27444

Hinum°



HLBS TECH (P) LIMITED

An ISO 9001, ISO 14001, ISO 27001 Certified Company www.hlbstech.com

Number of USB Type C Ports	0
Number of Serial Ports	0
Number of Parallel Ports	0
Number of VGA Ports	0
Number of HDMI Ports	1
Number of DP Ports	1
Model of the Monitor	HLBS
Monitor Technology	TN
LED Backlit Monitor Size (INCHES)	24
Monitor Resolution (PIXELS)	1920x1080
TCO Certification for Monitor	NA
Number of VGA Ports in the Monitor	1
Number of HDMI Ports in the Monitor	1
Number of Display Ports in the Monitor	0
Availability of Webcam integrated with Monitor	No
If Yes, Resolution of Webcam	NA
Availability of Speakers integrated with Monitor	No
If Yes, Number of Speakers available	0
Power Supply Capacity (Watt)	200
Minimum Power Efficiency Range (%)	85 - 89
ROHS Compliance	Yes
BEE / Energy Star for the given Model	Yes
Mouse Connectivity	Wired
Type of Mouse	Optical Scroll
Keyboard Connectivity	Wired
Type of Keyboard	Standard
Minimum Operating Temperature	10 degree Celsius
Maximum Operating Temperature	40 degree Celsius
Minimum Operating Humidity (%RH)	10
Maximum Operating Humidity (%RH)	90
On Site OEM Warranty (Year)	3

Yours Faithfully



Rashmi Dhote (General Manager) HLBS TECH PRIVATE LIMITED +91-9826527444 rashmi@hlbstech.com

Factory: 24/2D, Sector J.K. Road, Industrial Area, Govindpura, Bhopal Tel.: +91 755 4082900, 4283574
Fax: +91 755 4082906, Mob.: +91 9826527444, 8889955229, E-mail: sales@hlbstech.com, hlbs@hlbstech.com
Toll Free: 1800 270 1244

Registered Office: 243-B, Zone 1, M.P. Nagar, Bhopal (MP) 462011 INDIA, M: +91 98265 27444

Hinum°

BANGALORE | DELHI | MUMBAI | HYDERABAD | BHOPAL | TAIWAN