



Workstation DATASHEET

Make: HLBS Workstation

Model: CMW1000T

TECHNICAL SPECIFICATION	
Form Factor	Desktop
Processor Make	Intel
Processor Generation	12
Number of Cores per Processor	16
Processor Base Frequency (GHz)	3.2
Processor Turbo Frequency (GHz)	5.2
Processor Description	Intel Core i9
Processor Number	Intel Core i9 12900K
Number of sockets available on the motherboard	1
Number of Sockets populated with the Processors	1
Cache (MB)	30
Chipset Number	Intel W680
Expansion Slots (PCIe x 4) (Number)	1
Expansion Slots (PCIe x 16) (Number)	1
Graphics Type	Dedicated/Discrete
Number of Graphic Cards	1
Graphic Card Description	NVIDIA T1000 8GB
Operating System (Factory Pre-Loaded)	Windows 11 Professional
OS Certification	Windows
Applications Compatible with the Workstation (Requisite document may be furnished as and when demanded by the buyer)	Adobe After Effects CS/CC
RAM Type	DDR5
RAM Speed (MHz)	4800
Type of Memory	Non ECC
RAM Size (GB)	128
Total Numbers of DIMM Slots Available	4

Factory: 24/2D, Sector J.K. Road, Industrial Area, Govindpura, Bhopal
Tel.: +91 755 4082900, 4283574
Fax: +91 755 4082906, **Mob.:** +91 9826527444, 8889955229,
E-mail: sales@hlbstechnology.com, hlbs@hlbstechnology.com
Toll Free : 1800 270 1244

Registered Office:
 243-B, Zone 1, M.P. Nagar,
 Bhopal (MP) 462011 INDIA,
M: +91 98265 27444



Number of DIMM Slots Populated	2
RAM Expandability upto using spare DIMM Slots (GB)	128
Type of Drives used to populate the internal Bays	PCIe
Number of Drives	1
Capacity of each Drive (GB)	2048
Type of Drives used to populate the Internal Bays	SATA,PCIe
Total number of Internal Bays available for SATA Drive	2
Number of Internal Bays populated with SATA Drive	2
Each SATA Drive Capacity (GB)	2000
Speed of each SATA Drive (RPM)	7200
Total SATA Drive Capacity (GB)	4000
Total number of Internal Bays available for PCIe SSD	2
Number of Internal Bays populated with PCIe Drive	2
Capacity of each PCIe Drive (GB)	1024
Total PCIe Drive Capacity (GB)	2048
RAID level	0
Number of RAID Controller Ports	4
Speed of RAID Controller Ports (Gbps)	6
Type of Ethernet Ports	Single Gigabit NIC 10/100/1000
Number of Ethernet Ports	1
Number of USB Version 2 Point 0 Ports	2
Number of USB Version 3 point 0 / 3 point 1, Gen 1 Ports	2
Number of DP Ports	1
Display Availability	Monitor
Display Size (cm)	82 - 87
Display Type	Non Touch
Panel Type	Curved
Panel Technology	VA
Display Resolution (Pixels)	3440 x 1440
LED Backlit	Yes
Colour Gamut	72% Color Gamut
Monitor Stand	Height Adjustable
Maximum Power (Watts)	500
Minimum Power Efficiency (%)	80
Power Management Unit	Yes
Mouse Connectivity, If available	Wired
Type of Mouse, If available	Optical Scroll
Keyboard Connectivity, if available	Wired
Type of Keyboard, if available	Standard

Optical Drive	DVD R/W
Number of External Bays	1
Security	H/W Based
Availability of Bundled Software	Yes
Type of Bundled Software	Standard Performance Improvement Software
BIS Registration under CRS of Meity (Requisite certificate may be furnished as and when demanded by the buyer)	Yes
BIS Registration Number and its Validity	R-82000515
ROHS Compliance	Yes
Other Certification Available (Requisite certificate may be furnished as and when demanded by the buyer)	CE,FCC
Minimum Operating Temperature (Degree C)	10
Maximum Operating Temperature (DEgree C)	35
Minimum Operating Humidity (%RH)	20
Maximum Operating Humidity (%RH)	85
On Site OEM Warranty (Year)	5

Yours Faithfully



Nitin Sahu
Sales Manager
HLBS TECH PVT LTD
+91-8889933112
sales5@hlbstech.com